

Excedrin® Migraine

Product Information

Drug Facts

Active ingredients (in each tablet)

Acetaminophen 250 mg

Aspirin 250 mg

Caffeine 65 mg

Purpose

Pain reliever

Pain reliever

Pain reliever aid

Uses

- treats migraine
-

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Alcohol warning: If you consume 3 or more alcoholic drinks every day, ask your doctor whether you should take acetaminophen and aspirin or other pain relievers/fever reducers. Acetaminophen and aspirin may cause liver damage and stomach bleeding.

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
 - with any other products containing acetaminophen. Taking more than directed may cause liver damage.
-

Ask a doctor before use if you have

- never had migraines diagnosed by a health professional
- a headache that is different from your usual migraines
- the worst headache of your life
- fever and stiff neck
- headaches beginning after or caused by head injury, exertion, coughing or bending
- experienced your first headache after the age of 50
- daily headaches
- a migraine so severe as to require bed rest
- asthma
- bleeding problems
- ulcers
- stomach problems such as heartburn, upset stomach, or stomach pain that do not go away or recur

- problems or serious side effects from taking pain relievers or fever reducers
 - vomiting with your migraine headache
-

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for:
 - anticoagulation (thinning of the blood)
 - diabetes
 - gout
 - arthritis
 - under a doctor's care for any serious condition
 - taking any other drug
 - taking any other product that contains aspirin, acetaminophen, or any other pain reliever/fever reducer
-

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
 - your migraine is not relieved or worsens after first dose
 - new or unexpected symptoms occur
 - stomach pain or upset gets worse or lasts
 - ringing in the ears or loss of hearing occurs
-

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
 - adults: take 2 tablets with a glass of water
 - if symptoms persist or worsen, ask your doctor
 - do not take more than 2 tablets in 24 hours, unless directed by a doctor
 - under 18 years of age: ask a doctor
-

Other information

- store at 20°-25°C (68°-77°F)
 - read all product information before using. Keep the box for important information.
-

Inactive ingredients

benzoic acid, carnauba wax, FD&C blue #1*, hydroxypropylcellulose, hypromellose, microcrystalline cellulose, mineral oil, polysorbate 20, povidone, propylene glycol, simethicone emulsion, sorbitan monolaurate, stearic acid, titanium dioxide*

*may contain these ingredients

Questions or comments? 1-800-468-7746